

Features:

GWS20902

Included Components:

□Combination GWS20902
□Bowl GMX21952
□Tank G0028990

- Vitreous China
- 12" Rough-in
- 3" flush valve for maximum water force
- Fluidmaster® Fill Valve
- Corrosion resistant flapper
- Extra-Large Dual fed siphon jets for high power bowl clearing
- 100% glazed, 2" large trapway for clog-free waste removal
- Double nut, multi-point tank-to-bowl mounting system for tool-free installation
- Color matched tank lever
- Toilet seat is not included

Technical Information:

Configuration	Two-piece, Round Front Toilet
Water per Flush	1.28 gpf (4.8 Lpf)
Rough-In	12"
Height	28 ⁵ /8"
Width	17 ⁵ /16"
Depth	27 ⁵ /16"
Trapway	2"
Large Water Surface	8 ¹¹ /16" x 6 ⁵ /16"
Shipping weight Bowl	40.6 lbs
Shipping weight Tank	30.4 lbs

Accessories: (To be purchased separately)

N/A

Other Tank Options: (To be purchased separately)

- Insulated Tank G0028992
- Tank with Right Hand Lever G002899097


Available Colors:

- White
- Other: Refer to Price Book for additional colors/finishes

Warranty:

 Limited Lifetime on Vitreous China, refer to the website for more details.











NOTES: All dimensions are in inches and milimeters. Illustrations may not be drawn to scale.

IMPORTANT:

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A 112.19.2 THIS FIXTURE QUALIFIES ACCORDING TO ASME TEST PROCEDURES AS A HIGH EFFICIENCY WATER CLOSET WITH AN AVERAGE CONSUMPTION OF 1.28 gpf (4.8 Lpf) OR LESS.

