

SEE PAGES 2-5 FOR A LIST OF ACCESSORIES!



Design features:

- Produced from high-grade, reinforced, molded fiberglass for optimum strength and impact resistance using matched metal molds under heat and pressure.
- Ideal for new or remodel projects...fits DURAWALL[®] Shower Walls (see Accessories section) as well as ceramic tile or preformed wall kit.
- Fits 60" wide by 30" deep alcove.
- Drain hole is offset 8-1/2" x 15" for connection to 2" DWV piping.
- 360.100 Entry Ramp (order separately) creates curbless entry and exit for wheelchairs and walkers.
- Slip resistant surface.
- Optional drain kit is available for connecting to existing 1-1/2" bathtub DWV line.
- Available in both LH and RH drain locations.
- Available in white or bone.
- Smooth, colorfast semi-gloss finish, resists scuffs.
- Mold and mildew-resistant...easy to clean.


Code Accepted

- Americans with Disabilities Act (ADA)
- Code of Federal Regulations: July 1, 1997 (ADA)
- American Society of Testing & Materials (ASTM)-D635 Flammability, E84 Flame Spread, E165.75 Fire Retardancy


| Specifications | | | | | | | | |
|-----------------|--------------------------|-----------------------|-------------|-----------------|--|--|--|--|
| Model | Description | Drain Location | Fits Alcove | UPC | | | | |
| Barrier-Free St | nower Floor | | | | | | | |
| 360R | White | RH | 30" x 60" | 6 71031 00271 6 | | | | |
| 360RBN | Bone | RH | 30" x 60" | 6 71031 00272 3 | | | | |
| 360L | White | LH | 30" x 60" | 6 71031 00273 0 | | | | |
| 360LBN | Bone | LH | 30" x 60" | 6 71031 00274 7 | | | | |
| Entry Ramp (O | rder separately) 12" dee | p x 60" wide | | | | | | |
| 360.100 | White | _ | _ | 6 71031 00275 4 | | | | |
| 360.100BN | Bone | _ | _ | 6 71031 00276 1 | | | | |

General: Furnish and install as shown on plans, barrier-free DURABASE® Shower Floor Model 360 and Entry Ramp model ______ (360.100, 360.100BN) as manufactured by E.L. Mustee & Sons, Inc. Shower floor to be one-piece, molded fiberglass, using matched metal molds under extreme heat and pressure. Surface to be slip-resistant design that does not interfere with flow of water. Size: 30" x 60". Shoulder will be not less than 3-1/16" high or less than 1-1/4" wide. Tiling flange will extend not less than 1" higher than shoulder. Shower floors shall not have curb used in conjunction with 12" x 60" entry ramp per ADA requirements. Drain available on right or left side, offset 8-1/2" x 15". Shall meet ANSI Z 124-2011.2 1990. Color _____ (White, Bone). Install in compliance with local codes.

General: Furnish and install as shown on plans Shower Floor Entry Ramp model: ______ as manufactured by E.L. Mustee & Sons, Inc. Ramp to be one piece, molded fiberglass made with matched metal molds. Slip resistant surface. Trimmable to accommodate for a nearby toilet or other structure. Size 12" x 60". Color: _____ (White, Bone)



USTFF





MORE ON PAGE 3 ▶

Drain Assemblies

60.300A, 60.300ABN Drain Assembly



| Model | Color | UPC |
|--------------------------|---------------------|------------------------------------|
| 60.300A | White | 6 71031 00392 8 |
| 60.300ABN | Bone | 6 71031 00393 5 |
| Use to replace bathtub w | aste line and conne | ect to existing DWV sanitary pipe. |

82.400A Drain Assembly



| C 71001 00000 4 |
|-----------------|
| 6 71031 00220 4 |
| |
| |

42.400A Drain Assembly

| F | + | - |
|---|---------|----|
| | | Í. |
| | - | |
| 1 | <u></u> | 71 |

| _ | Model | Color | UPC |
|---|---------|-------|-----|
| | 42.400A | | |
| | 42.400A | | |

PVC drain assembly for 2" PVC pipe solvent welded DWV sanitary pipe.

42.317A, 42.320, 42.321 Drain Assembly



| Model | Color | UPC |
|-----------------|----------------------------------|-----------------|
| 42.317A | Drain assembly | 6 71031 00167 2 |
| 42.320 Optional | Drain for 2" copper (DWV) | 6 71031 00309 6 |
| 42.321 Optional | Drain seal for 2" soil pipe (SW) | |

Use to replace bathtub waste line and connect to existing DWV sanitary pipe.





MORE ON PAGE 4 ▶

DURAWALL[®] Shower Walls

Mustee offers several premium-quality VARISTONE[®] fiberglass and DURAWALL[®] thermoplastic shower walls to best fit the needs of your Model 360 ShowerTub[™] Easy Access Shower Floor application.

572T VARISTONE[™]— FIBERGLASS, 5-PANEL RECTANGULAR SHOWER WALLS, ADHESIVE MOUNT

| | Model No. | Description | UPC |
|----|-----------|------------------------------|-----------------|
| 1 | 572TWHT | Widths to 60", depths to 34" | 6 71031 00420 8 |
| -0 | 572TBN | Widths to 60", depths to 34" | 6 71031 00421 5 |

Optional 572.300 VARISTONE® Shelves



Expressly produced to color match the finishes available for Mustee's Model 572T shower walls, VARISTONE® shelves adhesive mount to the walls in any desired position or arrangement to best meet your needs.

| | Model No. | Color | UPC |
|---|-----------|-------|-----------------|
| ٢ | 572.300 | White | 6 71031 00385 0 |
| | 572.300BN | Bone | 6 71031 00386 7 |

760T-30WHT DURAWALL®- PREMIUM FIBERGLASS, 5-PANEL RECTANGULAR SHOWER WALLS, DIRECT-TO-STUD MOUNT

| Model No. | Description | UPC |
|------------|--------------------------------------------------------------------------------------------------------------------|-----|
| 760T-30WHT | Widths to 60", depths to 30" | - |
| | at any location on this shower surround, purchase the optional NE® shelfsee product description directly above. | |

260 DURAWALL® - THERMOPLASTIC, 5-PANEL RECTANGULAR SHOWER WALLS, ADHESIVE MOUNT

| Model No. | Description | UPC |
|-----------|------------------------------|-----------------|
| 260WHT | Widths to 60", depths to 40" | 6 71031 00053 8 |
| 260BN | Widths to 60", depths to 40" | 6 71031 00050 7 |

265 DURAWALL® - THERMOPLASTIC, 5-PANEL RECTANGULAR SHOWER WALLS, ADHESIVE MOUNT

| Model No. | Description | UPC |
|-----------|----------------------------------|-----------------|
| 265WHT | Widths to 71", depths to 41-1/2" | 6 71031 00478 9 |
| | | |
| | | |





MORE ON PAGE 5

CareGiver[®] Grab Bars

A wide range of straight and angled 304 stainless steel grab bars in all popular styles, lengths and sizes are available to provide in-shower support and stability.

| <u>/" ΠΙΑ. ΙΙ</u> | NSIDE CO | RNFI | R STYLFS | — SAFETY GR | AB B | ARS | 1½" C | DIA. S | STRAIG | HT — SAF | ETY GRAB BARS |
|--------------------|----------|--------|----------|------------------|------|-----------------|-------|--------|---------|-----------------|-----------------|
| | Model | A | | | | UPC | | B | Model | Size | UPC |
| 12" | 390.304 | 34" | | 18" | 90° | 6 71031 00362 1 | | 128 | 390.305 | 18" | 6 71031 00452 9 |
| | 390.303 | 42" | | 20" | 90° | 6 71031 00361 4 | - ~ | | 390.301 | 24" | 6 71031 00359 1 |
| | | | | | | | | | 390.306 | 36" | 6 71031 00434 5 |
| /∕₂" DIA. A | NCIED - | – SAFI | FTY GRAB | BARS | | | | | 390.307 | 42" | 6 71031 00435 2 |
| | | | | | | | | | 390.302 | 48" | 6 71031 00360 7 |
| A | Model | Α | – Size – | В | С | UPC | | | | | |
| A A | 390.308 | 24" | | 16" | 90° | 6 71031 00436 9 | | | | | |
| 5"C B | 390.309 | 32" | | 16" | 90° | 6 71031 00437 6 | | | | | |
| | 390.310 | 24" | | 16" | 90° | 6 71031 00438 3 | | | | | |
| a 5" | 390.311 | 32" | | 16" | 90° | 6 71031 00439 0 | | | | | |
| × | 390.312 | 30" | | | 90° | 6 71031 00440 6 | | | | | |
| | 390.313 | 12" | | No Corner Flange | 120° | 6 71031 00441 3 | | | | | |
| () LE | 390.314 | 16" | | | 120° | 6 71031 00442 0 | | | | | |
| or RH or LH use | 390.315 | 24" | | | 120° | 6 71031 00443 7 | | | | | |

Rotate for RH or LH use

CareGiver[®] Fold-Down Shower Seats

CareGiver® Fold-Down Shower Seats can be ordered in Right hand, Left hand and Rectangular Fold-Down and Leg-supported styles All popular sizes are available to provide a stable, secure place to sit while showering.

| LEFT-HAND SEAT — WALL MOUNT 14½"26", 32" 12"21" | Model 390.402 | Size 26" x 21" | UPC 6 71031 00364 5 | RIGHT-HAND SEAT - WALL MOUNT 26", 32" - 14½" - 12" | Model 390.401 | Size 26" x 21" | UPC 6 71031 00363 8 |
|----------------------------------------------------------------------------------------------|----------------------|--------------------------|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------------------|-------------------------------|
| LEFT-HAND SEAT - WITH LEGS 14 ¹ /2" 26", 32" 12" 12" 21" 21" | 390.405 | 26" x 21" | 6 71031 00444 4 | RIGHT-HAND SEAT - WITH LEGS 26 ⁴ , 32 ⁴ 14 ¹ / ₂ 12 ¹ 12 ¹ | 390.407 | 26" x 21" Continued | 6 71031 00446 8 |






CareGiver[®] Fold-Down Shower Seats (continued)

CareGiver[®] Fold-Down Shower Seats can be ordered in Right hand, Left hand and Rectangular Fold-Down and Leg-supported styles All popular sizes are available to provide a stable, secure place to sit while showering.



Continuous Water Barrier Kit



The 360.210 Continuous Water Barrier Kit creates an effective water barrier for the shower threshold that easily collapses for wheelchairs or walkers then instantly reforms to keep water from escaping.

Model 360.210

UPC 6 71031 00479 6

GapSeal-Pro[™] — For all shower floors and bathtubs



 Model No.
 Description
 UPC

 60.320A
 132" long x 2" tall
 671031 00496 3

The flexible PVC GapSeal-Pro[™] features a strong adhesive strip that allows it to be easily positioned to "extend" the tile flange and effectively seal the gap between drywall or like-surfaces on shower floors or bathtubs. Patent pending.

